

SAFETY DATA SHEET

MATERIAL IDENTIFICATION

PRODUCT NAME / DESCRIPTION: ATS-22 VOC

DISTRIBUTED / MANUFACTURED BY: Advanced Chemical Technologies, Inc. 9608 N Robinson Oklahoma City, OK 73114

Date: 8/01/2019 (Version 3) Phone: (405) 843-2585 Emergency Phone: (800) 255-3924

SECTION 2

SECTION 1

HAZARD IDENTIFICATION

CLASSIFICATION:

Flammable Liquids	Category 2
Skin corrosion/irritation:	Category 2
Serious eye damage/eye irritation:	Category 2
Skin Sensitizer:	Category 1
Reproductive toxin:	Category 1.5
TOST: Acute:	Category 1
TOST: Chronic:	Category 3
Aquatic Toxicity: Acute:	Category 3

SIGNAL WORD: DANGER!

HAZARD STATEMENTS:

Highly flammable liquid and vapor. Causes serious eye irritation. Causes damage to organs. Harmful to aquatic life.



Causes skin irritation. May damage fertility or the unborn child. Causes damage to organs through prolonged or repeated exposure. May cause an allergic skin reaction.





PRECAUTIONARY STATEMENTS:

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Avoid breathing dust, fumes, gas, mist, vapors or spray. Keep away from heat, sparks, open flames and hot surfaces. No smoking. Do not spray on open flame or other ignition source. Keep/store away from clothing or combustible materials. Take any precaution to avoid mixing with combustibles. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion proof electrical, ventilating, lighting and equipment. Use only non sparking tools. Take precautionary measures against static discharge. Do not subject to grinding, shock or friction. Avoid contact during pregnancy and while nursing. Wear fire/flame resistant/retardant clothing. Use only outdoors or in a well ventilated area. Wash all exposed skin thoroughly after handling. Avoid release to the environment. If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use. Keep only in original container. Do not get in eyes, on skin or on clothing. Do not eat, drink or smoke when using this product. In case of fire: Stop leak if safe to do so. Eliminate all ignition sources if safe to do so. In case of fire: Evacuate area. Fight fire remotely due to risk of explosion. Store in well ventilated place.

Toxicity: See section 11

SECTION 3		HEALTH HAZARDS	
<u>Chemical Name</u> Dimethyl Carbonate Isobutyl trimethoxysilane Methanol (Proprietary Formula)	<u>CAS No.</u> 616-38-6 18395-30-7 67-56-1	<mark>% ₩/₩</mark> < 40 < 20 < 50	
SECTION 4		FIRST AID MEASURES	
Potential acute health effects:			
Eyes:	May cause severe irrita		
Skin:	May cause severe irritation, burns or damage.		
Inhalation:	May cause severe irritation.		
Ingestion:	May cause irritation, corrosion, ulceration, nausea and vomiting.		
Medical conditions aggravated by	None known.		
exposure:			
Eye contact:		with cool running water. Lift and separate eye lids while water for at least 15 minutes. Get medical attention.	
Skin contact:	Wash with soap and wa	ater. Get medical attention if irritation occurs. Wash	

clothing before reuse. Destroy contaminated shoes.

oxygen. Seek medical attention if symptoms develop.

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, give artificial respiration. If breathing is difficult, give

No NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. If large quantities of this material are swallowed, call a physician immediately. Give plenty of water.

Inhalation:

Ingestion:

SECTION 5

FIRE FIGHTING MEASURES

Fire hazard classification (OSHA/NFPA):	3
Extinguishing media:	As required for fire being fought.
Special fire fighting procedures: Hazardous combustion products:	Use self-contained breathing apparatus. None known.
SECTION 6	ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency	Wear protective clothing as described in Section 8 of this Safety Data Sheet.
procedures: Containment procedures:	Stop the flow of material, if this is without risk. Wear appropriate protective equipment and clothing during clean up. Do not allow the spilled product to enter public drainage system or open water sources.
Clean up procedures:	Sweep up or gather material and place in appropriate container for disposal. Wash spill area thoroughly. Wear protective equipment during clean up.
	Dispose of collected material according to regulations.
SECTION 7	HANDLING AND STORAGE
Handling:	Avoid contact with eyes, skin and clothing. Do not take internally. For industrial use only.
	Wash after handling. Do not breathe dust, vapor or gas. Keep this and all chemicals out of reach of children.
Storage:	Keep away from heat, sparks, and open flames. Prevent spills.
	Keep container tightly closed and in a cool, well ventilated place away from incompatible materials. Empty product containers may contain product residue, do not reuse.
SECTION 8	EXPOSURE CONTROLS/PERSONAL PROTECTION
Ventilation system:	Always keep exposure below permissible exposure limits. In general, dilution ventilation is a satisfactory health control for this substance. However, if conditions of use create discomfort to the worker, a local exhaust
	system should be considered.
Airborne exposure limits: Personal protection:	
Personal protection:	system should be considered. None established. As prescribed in the OSHA Standard for Personal Protective Equipment (29 CFR 1920.132), employees must perform a Hazard Assessment of all workplaces to determine the need for, and selection of, proper protective equipment for each task performed.
	 system should be considered. None established. As prescribed in the OSHA Standard for Personal Protective Equipment (29 CFR 1920.132), employees must perform a Hazard Assessment of all workplaces to determine the need for, and selection of, proper protective equipment for each task performed. Wear face shield, safety glasses or chemical goggles. For prolonged or repeated handling, use impervious gloves. Gloves should be tested to determine suitability for prolonged contact. Use of impervious apron
Personal protection: Eyes:	system should be considered. None established. As prescribed in the OSHA Standard for Personal Protective Equipment (29 CFR 1920.132), employees must perform a Hazard Assessment of all workplaces to determine the need for, and selection of, proper protective equipment for each task performed. Wear face shield, safety glasses or chemical goggles. For prolonged or repeated handling, use impervious gloves. Gloves should be tested to determine suitability for prolonged contact. Use of impervious apron and boots are recommended. If ventilation is not sufficient, appropriate NIOSH/MSHA respiratory protection
Personal protection: Eyes: Hands and skin:	 system should be considered. None established. As prescribed in the OSHA Standard for Personal Protective Equipment (29 CFR 1920.132), employees must perform a Hazard Assessment of all workplaces to determine the need for, and selection of, proper protective equipment for each task performed. Wear face shield, safety glasses or chemical goggles. For prolonged or repeated handling, use impervious gloves. Gloves should be tested to determine suitability for prolonged contact. Use of impervious apron and boots are recommended.
Personal protection: Eyes: Hands and skin: Respiratory:	 system should be considered. None established. As prescribed in the OSHA Standard for Personal Protective Equipment (29 CFR 1920.132), employees must perform a Hazard Assessment of all workplaces to determine the need for, and selection of, proper protective equipment for each task performed. Wear face shield, safety glasses or chemical goggles. For prolonged or repeated handling, use impervious gloves. Gloves should be tested to determine suitability for prolonged contact. Use of impervious apron and boots are recommended. If ventilation is not sufficient, appropriate NIOSH/MSHA respiratory protection must be provided.
Personal protection: Eyes: Hands and skin: Respiratory: Work practices:	system should be considered. None established. As prescribed in the OSHA Standard for Personal Protective Equipment (29 CFR 1920.132), employees must perform a Hazard Assessment of all workplaces to determine the need for, and selection of, proper protective equipment for each task performed. Wear face shield, safety glasses or chemical goggles. For prolonged or repeated handling, use impervious gloves. Gloves should be tested to determine suitability for prolonged contact. Use of impervious apron and boots are recommended. If ventilation is not sufficient, appropriate NIOSH/MSHA respiratory protection must be provided. Eye wash fountain and emergency showers are recommended.
Personal protection: Eyes: Hands and skin: Respiratory: Work practices: SECTION 9 Appearance: Color:	system should be considered. None established. As prescribed in the OSHA Standard for Personal Protective Equipment (29 CFR 1920.132), employees must perform a Hazard Assessment of all workplaces to determine the need for, and selection of, proper protective equipment for each task performed. Wear face shield, safety glasses or chemical goggles. For prolonged or repeated handling, use impervious gloves. Gloves should be tested to determine suitability for prolonged contact. Use of impervious apron and boots are recommended. If ventilation is not sufficient, appropriate NIOSH/MSHA respiratory protection must be provided. Eye wash fountain and emergency showers are recommended. Liquid Clear
Personal protection: Eyes: Hands and skin: Respiratory: Work practices: SECTION 9 Appearance: Color: Odor:	system should be considered. None established. As prescribed in the OSHA Standard for Personal Protective Equipment (29 CFR 1920.132), employees must perform a Hazard Assessment of all workplaces to determine the need for, and selection of, proper protective equipment for each task performed. Wear face shield, safety glasses or chemical goggles. For prolonged or repeated handling, use impervious gloves. Gloves should be tested to determine suitability for prolonged contact. Use of impervious apron and boots are recommended. If ventilation is not sufficient, appropriate NIOSH/MSHA respiratory protection must be provided. Eye wash fountain and emergency showers are recommended. Liquid Clear Alcohol
Personal protection: Eyes: Hands and skin: Respiratory: Work practices: SECTION 9 Appearance: Color:	system should be considered. None established. As prescribed in the OSHA Standard for Personal Protective Equipment (29 CFR 1920.132), employees must perform a Hazard Assessment of all workplaces to determine the need for, and selection of, proper protective equipment for each task performed. Wear face shield, safety glasses or chemical goggles. For prolonged or repeated handling, use impervious gloves. Gloves should be tested to determine suitability for prolonged contact. Use of impervious apron and boots are recommended. If ventilation is not sufficient, appropriate NIOSH/MSHA respiratory protection must be provided. Eye wash fountain and emergency showers are recommended. Liquid Clear
Personal protection: Eyes: Hands and skin: Respiratory: Work practices: SECTION 9 Appearance: Color: Odor: Odor Threshold: pH: Boiling point:	system should be considered. None established. As prescribed in the OSHA Standard for Personal Protective Equipment (29 CFR 1920.132), employees must perform a Hazard Assessment of all workplaces to determine the need for, and selection of, proper protective equipment for each task performed. Wear face shield, safety glasses or chemical goggles. For prolonged or repeated handling, use impervious gloves. Gloves should be tested to determine suitability for prolonged contact. Use of impervious apron and boots are recommended. If ventilation is not sufficient, appropriate NIOSH/MSHA respiratory protection must be provided. Eye wash fountain and emergency showers are recommended. Liquid Clear Alcohol No data available No data available No data available
Personal protection: Eyes: Hands and skin: Respiratory: Work practices: SECTION 9 Appearance: Color: Odor: Odor Threshold: pH: Boiling point: Melting point:	system should be considered. None established. As prescribed in the OSHA Standard for Personal Protective Equipment (29 CFR 1920.132), employees must perform a Hazard Assessment of all workplaces to determine the need for, and selection of, proper protective equipment for each task performed. Wear face shield, safety glasses or chemical goggles. For prolonged or repeated handling, use impervious gloves. Gloves should be tested to determine suitability for prolonged contact. Use of impervious apron and boots are recommended. If ventilation is not sufficient, appropriate NIOSH/MSHA respiratory protection must be provided. Eye wash fountain and emergency showers are recommended. Liquid Clear Alcohol No data available No data available No data available No data available
Personal protection: Eyes: Hands and skin: Respiratory: Work practices: SECTION 9 Appearance: Color: Odor: Odor Threshold: pH: Boiling point: Melting point: Flash Point:	system should be considered. None established. As prescribed in the OSHA Standard for Personal Protective Equipment (29 CFR 1920.132), employees must perform a Hazard Assessment of all workplaces to determine the need for, and selection of, proper protective equipment for each task performed. Wear face shield, safety glasses or chemical goggles. For prolonged or repeated handling, use impervious gloves. Gloves should be tested to determine suitability for prolonged contact. Use of impervious apron and boots are recommended. If ventilation is not sufficient, appropriate NIOSH/MSHA respiratory protection must be provided. Eye wash fountain and emergency showers are recommended. Liquid Clear Alcohol No data available No data available No data available No data available No data available
Personal protection: Eyes: Hands and skin: Respiratory: Work practices: SECTION 9 Appearance: Color: Odor: Odor: Odor Threshold: pH: Boiling point: Melting point: Flash Point: Evaporation Rate (Butylacetate=1):	system should be considered. None established. As prescribed in the OSHA Standard for Personal Protective Equipment (29 CFR 1920.132), employees must perform a Hazard Assessment of all workplaces to determine the need for, and selection of, proper protective equipment for each task performed. Wear face shield, safety glasses or chemical goggles. For prolonged or repeated handling, use impervious gloves. Gloves should be tested to determine suitability for prolonged contact. Use of impervious apron and boots are recommended. If ventilation is not sufficient, appropriate NIOSH/MSHA respiratory protection must be provided. Eye wash fountain and emergency showers are recommended. Liquid Clear Alcohol No data available No data available No data available No data available
Personal protection: Eyes: Hands and skin: Respiratory: Work practices: SECTION 9 Appearance: Color: Odor: Odor: Odor Threshold: pH: Boiling point: Melting point: Flash Point: Evaporation Rate (Butylacetate=1): Flammability (solid, gas): Upper Explosion Limit (UEL):	system should be considered. None established. As prescribed in the OSHA Standard for Personal Protective Equipment (29 CFR 1920.132), employees must perform a Hazard Assessment of all workplaces to determine the need for, and selection of, proper protective equipment for each task performed. Wear face shield, safety glasses or chemical goggles. For prolonged or repeated handling, use impervious gloves. Gloves should be tested to determine suitability for prolonged contact. Use of impervious apron and boots are recommended. If ventilation is not sufficient, appropriate NIOSH/MSHA respiratory protection must be provided. Eye wash fountain and emergency showers are recommended. Liquid Clear Alcohol No data available No data available
Personal protection: Eyes: Hands and skin: Respiratory: Work practices: SECTION 9 Appearance: Color: Odor: Odor: Odor Threshold: pH: Boiling point: Melting point: Flash Point: Evaporation Rate (Butylacetate=1): Flammability (solid, gas):	system should be considered. None established. As prescribed in the OSHA Standard for Personal Protective Equipment (29 CFR 1920.132), employees must perform a Hazard Assessment of all workplaces to determine the need for, and selection of, proper protective equipment for each task performed. Wear face shield, safety glasses or chemical goggles. For prolonged or repeated handling, use impervious gloves. Gloves should be tested to determine suitability for prolonged contact. Use of impervious apron and boots are recommended. If ventilation is not sufficient, appropriate NIOSH/MSHA respiratory protection must be provided. Eye wash fountain and emergency showers are recommended. Liquid Clear Alcohol No data available No data available

Vapor density:	No data available
Specific gravity (Water=1):	0.82+/-0.05
Solubility water:	Soluble
Partition coefficient:	No data available
Autoignition Temperature:	No data available
Decomposition Temperature:	No data available
Viscosity (CPS):	No data available

SECTION 10

Stability: Incompatibility: Decomposition products: Conditions to avoid: This product is stable under normal temperatures and pressures. Strong oxidizers. None known. Extreme heat.

SECTION 11

Raw Material Dimethyl Carbonate (616-38-6) Isobutyl trimethoxysilane (18395-30-7) Methanol (67-56-1)	Test LD50 LD50 LD50	Result 6000 mg/kg 10,000 mg/kg 5628 mg/kg	Route Oral Oral Oral	Species Rat Rat Rat	
See Section 4 for symptoms					
Carcinogenicity:	No known ca	rcinogens			

No known mutagens

None known

Carcinogenicity: Mutagenicity: Reproductive Toxins:

SECTION 12 ECOLOGICAL INFORMATION Raw Material Test Result Species Time Dimethyl Carbonate (616-38-6) EC50 9 ma/L 96 hrs Algae Isobutyl trimethoxysilane (18395-30-7) LC50 > 100 mg/L96 hrs Zebra Fish Methanol (67-56-1) LC50 15,400 mg/L 96 hrs Lepomis macrochirus Persistence and degradability: No data available **Bioaccumulation potential:** No data available Mobility in soil: No data available

SECTION 13

DISPOSAL CONSIDERATIONS

Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste disposal facility. Processing, use or contamination of this product may change the waste management conditions. State and local disposal regulations may differ from federal disposal regulations. Dispose container and unused contents in accordance with federal, state and local requirements.

SECTION 14

FLAMMABLE LIQUIDS, N.O.S. (Contains Dimethyl Carbonate, Alkoxysilane, and Methanol) 3, UN1993, PG II FLAMMABLE LABEL/PLACARD REQUIRED

SECTION 15

REGULATORY INFORMATION

TRANSPORT INFORMATION

US FEDERAL REGULATIONS

SARA (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT):

SARA 302:Extremely hazardous substances list: NASARA 312:Hazard category: NASARA 313:Toxic chemicals list: NA

STABILITY AND REACTIVITY

TOXICOLOGICAL INFORMATION

CERCLA (COMPREHENSIVE ENVIRONMENTAL RESPONSE COMPENSATION AND LIABILITY ACT):	NA
RCRA (RESOURCE CONSERVATION AND RECOVERY ACT) LISTED HAZARDOUS WASTES:	NA
CWA (CLEAN WATER ACT) LISTED SUBSTANCES: FDA (FOOD AND DRUG ADMINISTRATION):	NA NA
TSCA (TOXIC SUBSTANCES CONTROL ACT):	ALL INGREDIENTS LISTED

OTHER INFORMATION

NFPA:

SECTION 16

HMIS III:

Flammability	HEALTH	2
	FLAMMABILITY	3
Health He	PHYSICAL HAZARD	1
The special Hazard	0 = not significant 1 = slight 2 = moderate 3 = high 4 = extreme * = chronic	

THIS INFORMATION IS OFFERED IN GOOD FAITH AS TYPICAL VALUES AND NOT AS A PRODUCT SPECIFICATION. NO WARRANTY, EXPRESSED OR IMPLIED, IS HEREBY MADE. THE RECOMMENDED INDUSTRIAL HYGIENE AND SAFE HANDLING PROCEDURES ARE BELIEVED TO BE GENERALLY APPLICABLE. HOWEVER, EACH USER SHOULD REVIEW THESE RECOMMENDATIONS IN THE SPECIFIC CONTEXT OF THE INTEDED USE AND DETERMINE WHETHER THEY ARE APPROPRIATE.